

Certificate of Analysis

Productname: Nourivan Antiox

Inspection No: L02664/0324/536
Batchnumber: 23L06-T09-110115
Expiration date: 30.09.2025
Analysed according to: FSCE-SPEC-0376

Customer: FAGRON a.s.
Sample Unit: 1 x 500 g
Batch Size: 378 x 500 g

	Requirement	Result	Unit	Standard remark
CHARACTERS				
Appearance	Stiff, white, shiny, homogenous mass.	Conform		
Odour	Specific, not perfumed.	Conform		
IDENTIFICATION				
Identification A	Conform	Conform		Benzoic acid, HPLC
Identification B	Conform	Conform		Sorbic acid, HPLC
TESTS				
pH	2,5 - 5,5	3,5		
Density	0,97 - 1,00	1,00	g/ml	
Yield value	100 - 400	390	Pa	25+ - 2 °C
Microbiology	Conform	Conform		
TAMC	<= 1 x 10 ²	<10	CFU/g	
TYMC	<= 1 x 10 ¹	<10	CFU/g	
Pseudomonas aeruginosa	Absent/1g	Conform		
Staphylococcus aureus	Absent/1g	Conform		
TSE/BSE	No contamination with TSE/BSE-risk materials.	Conform		
Residual solvents	ICH Q3C	Conform		
Metallic residues	ICH Q3D	Conform		
ASSAY				
Benzoic acid	0,06 - 0,12	0,09	%	HPLC
Sorbic acid	0,06 - 0,12	0,09	%	HPLC

Performed by: QC Fagron a.s. (CZ)

Responsible: Mgr. Barbora Vránová, QC
 MVDr. Zdenka Borská, QA/ QP

Date: 18.04.2024

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.