



## Certificate of Analysis

**Productname:** ACETONE

**Inspection No:** L02555/0724/536  
**Batchnumber:** 24C05-T02-112026  
**Expiration date:** 25.10.2026  
**Analysed according to:** ČL 2023, Ph. Eur. 11.0

**Customer:** FAGRON a.s.  
**Sample Unit:** 0 x  
**Batch Size:** 59 x 1 l

**Batch no. of vendor:** PP/2024/00214

	Requirement	Result	Unit	Standard remark
CHARACTERS				
Appearance	Volatile.clear,colourless liquid.	Conform		
Solubility	Conform	Conform		
IDENTIFICATION				
Identification A	0,790 - 0,793	0,793		Relative density
Identification B	Conform	Conform		Defined discoloration
Identification C	Conform	Conform		Defined discoloration
TESTS				
Appearance of solution	Clear, colourless	Conform		50% V/V
Acidity or alkalinity	<=0,5	Conform		
Relative density	0,790 - 0,793	0,793		
Reducing substances	Conform	Conform		
Related substances	Conform	Conform		GC
Impurity A	<=0,05	<0,05	% (V/V)	
Impurity B	<=0,05	<0,05	% (V/V)	
Impurity C	<=2	<2	ppm (V/V)	
Any other impurity	<=0,05	<0,05	% (V/V)	
Matter insoluble in water	Conform	Conform		
Residue on evaporation	<=50	0,0	ppm	
Water	<=3	1	g/l	
TSE/BSE	No contamination with TSE/BSE-risk materials.	Conform		
Residual solvents	ICH Q3C	Conform		
Metallic residues	ICH Q3D	Conform		

Quality: Excipient

<b>Name</b>	Fagron a.s. (CZ) Kontrolní laboratoř č. 536	<b>Address</b>	Holická 1098/31m, Olomouc	<b>Phone No.</b>	+420585222590
		<b>Post Code</b>	779 00	<b>Fax No.</b>	+420 585 226 521

**Performed by:** QC Fagron a.s. (CZ)  
**Responsible:** Mgr. Barbora Vránová, QC  
MVDr. Zdenka Borská, QA/ QP  
**Date:** 18.04.2024

**Conclusion:** **APPROVED**

This document has been produced electronically from our quality system and is valid without signature.

<b>Name</b>	Fagron a.s. (CZ) Kontrolní laboratoř č. 536	<b>Address</b>	Holická 1098/31m, Olomouc	<b>Phone No.</b>	+420585222590
		<b>Post Code</b>	779 00	<b>Fax No.</b>	+420 585 226 521