

Certificate of Analysis

Product name: ZINCI OXIDUM
Batch number / Weight: 237627 / 100 G
Analysed according to: SPK-011, wyd. B
Number of analysis / Inspection Code 23G21-B01 / INS-23-8177
Reference Code / No.: V00625 / 12/23

Tests	Requirement	Result	Unit	Standard remark
Appearance	soft, white or faintly yellowish-white, amorphous powder	Conform		
Appearance	free from gritty particles			
Identification A	Conform	Zgodny		
Alcalinity	<= 0.3 ml HCl 0.1M	0,05	ml	
Carbonates and substances insoluble in acids	Conform	Conform		
Iron	<=200	<200	ppm	
Cadmium	<=5	1,55	ppm	
Lead	<=10	3,58	ppm	
Thallium	<=5	3,91	ppm	
Loss on ignition	<=1,0	0,22	%	
Assay	99,0 - 100,5	99,88	%m/m	
Total aerobic microbial count (TA)		<10	CFU/g	
Total yeasts and moulds (TYMC)		<10	CFU/g	

fagron.pl

Fagron Services Northern Europe Sp. z o.o.
ul. Armii Krajowej 3
32-540 Trzebinia, Poland
e-mail:fsne@fagron.pl

fagron.pl

Fagron sp. z o.o.
ul. Pasternik 26, 31-354 Kraków, Poland
tel.: +48 12 3343 512
e-mail: biuro@fagron.pl

All the manufacturing stages of this batch have been carried out in full compliance with the GMP requirements of the EU and with the national legal requirements.

Analysis performed by the authorized lab Own lab

Release:

Ewelina Gadzinowska

Qualified Person

18-04-2024

Expiration: 28-02-2027

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.

fagron.pl

Fagron Services Northern Europe Sp. z o.o.
ul. Armii Krajowej 3
32-540 Trzebinia, Poland
e-mail:fsne@fagron.pl