Safety Data Sheet

according to WHS Regulations

Printing date 02.02.2024 Revision: 02.02.2024 Version number 1.1

1 Identification

- · Product identifier
- · Trade name: Ipecacuanha fluid extract
- · Article number: 100478
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Additive for cosmetic or pharmaceutic preparations
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Fagron Services B.V.

Molenwerk 13, UITGEEST, 1911DB

Netherlands

Phone: +31251361400

Supplier Azelis Australia Suite 217 117 Old Pittwater Road Brookvale NSW 2100 Australia

Phone: +61 0299392188 Fax: +61 0299392799 e-mail: info@azelis.com.au

- · Further information obtainable from: info@fagron.com.au
- · Emergency telephone number:

In case of emergency, please call your local poisons:

Emergency Australia: 13 11 26

Emergency NZ: 0800 764 766 (0800 POISON)

1800 127 406 (24 h, Australia) | +64 4 917 9888 (24 h, Worldwide) CareChem 24x7 : EUROPE: +44 1235 239670 | USA: +1 202 464 2554 | CANADA - +1 800 579 7421 (Toll Free)| ASIA - +65 3158 1074 | MOROCCO - +44 1235 239671 | REST OF THE WORLD - +44 1865 407333 (English only)

2 Hazard(s) Identification

· Classification of the substance or mixture

Flam. Liq. 3 H226 Flammable liquid and vapour.

Acute Tox. 4 H302 Harmful if swallowed.

Serious eye damage/irritation - Category 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

(Contd. on page 2)

AUS



Trade name: Ipecacuanha fluid extract

· Hazard pictograms

(Contd. of page 1)





- GHS02 GHS07
- Signal word Warning
- · Hazard-determining components of labelling: emetine
- · Hazard statements

Flammable liquid and vapour.

Harmful if swallowed.

Causes serious eye irritation.

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting equipment.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
	Ethanol / Alcohol 99,5% v/v (absolute Flam. Liq. 2, H225; Serious eye damage/irritation – Category 2A, H319	50–≤100%		
CAS: 483-18-1	emetine Acute Tox. 3, H301	1–≤5%		

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing equipment only after contaminated clothing have been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)





Trade name: Ipecacuanha fluid extract

(Contd. of page 2)

· After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Do not induce vomiting; call for medical help immediately.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire Fighting Measures

Suitable extinguishing agents:

Water spray

Foam

Fire-extinguishing powder

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

· Protective equipment:

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

(Contd. on page 4)





Trade name: Ipecacuanha fluid extract

(Contd. of page 3)

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see section 7.
- · Ingredients with limit values that require monitoring at the workplace:

CAS: 64-17-5 Ethanol / Alcohol 99,5% v/v (absolute

WES Long-term value: 1880 mg/m³, 1000 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Respiratory protection:

Filter P2

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)





Safety Data Sheet according to WHS Regulations

Printing date 02.02.2024 Revision: 02.02.2024 Version number 1.1

Trade name: Ipecacuanha fluid extract

· Eye protection:

(Contd. of page 4)



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and Chemical Properties

· General Information

· Appearance:

· Form: Liquid

Colour:
Odour:
Odour threshold:
pH-value:

Bronze coloured
Characteristic
Not determined.
Not determined.

· Change in condition

Melting point/freezing point: Undetermined.
 Initial boiling point and boiling range: Undetermined.

· Flash point: 23°C

Flammability (solid, gas): Flammable.Decomposition temperature: Not determined.

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product is not explosive. However, formation of explosive

air/vapour mixtures are possible.

· Explosion limits:

Lower: Not determined.
Upper: Not determined.
Vapour pressure: Not determined.
Density at 20°C: 0.91–0.94 g/cm³
Relative density Not determined.
Vapour density Not determined.
Evaporation rate Not determined.

· Solubility in / Miscibility with

water: Fully miscible.Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

• Dynamic: Not determined.
• Kinematic: Not determined.

· Solvent content:

• Organic solvents: 63–69 % • VOC (EC) 63–69 %

· Other information No further relevant information available.

10 Stability and Reactivity

· Reactivity No further relevant information available.

(Contd. on page 6)





Trade name: Ipecacuanha fluid extract

(Contd. of page 5)

- Thermal decomposition / conditions to be avoided:
 No decomposition if used according to specifications.
- · Possibility of hazardous reactions Reacts with strong acids and oxidising agents.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity Harmful if swallowed.

· LD/LC50	· LD/LC50 values relevant for classification:					
ATE (Acute Toxicity Estimates)						
Oral	LD50	1360-6800 mg/kg (rat)				
CAS: 64-1	CAS: 64-17-5 Ethanol / Alcohol 99,5% v/v (absolute					
Oral	LD50	7060 mg/kg (rat)				
Inhalative	LC50/4 h	20000 mg/l (rat)				
CAS: 483	CAS: 483-18-1 emetine					
Oral	LD50	68 mg/kg (rat)				

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)

- AUS



Trade name: Ipecacuanha fluid extract

· Other adverse effects No further relevant information available.

(Contd. of page 6)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

· UN-Number · ADG, IMDG, IATA

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

UN1993

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information

· UN proper shipping name

· IATA · Transport hazard class(es)	Flammable liquid, n.o.s. (ETHANOL, emetine)
· ADG, IMDG, IATA	
· Class · Label	3 Flammable liquids.
· Packing group · ADG, IMDG, IATA	III
· Environmental hazards:	Not applicable.
 Special precautions for user Hazard identification number (Kemler code): EmS Number: Stowage Category 	Warning: Flammable liquids. 30 F-E, <u>S-E</u> A
Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 m



Safety Data Sheet according to WHS Regulations

Printing date 02.02.2024 Revision: 02.02.2024 Version number 1.1

Trade name: Ipecacuanha fluid extract

	(Contd. of page 7
· Transport category · Tunnel restriction code	3 D/E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL), EMETINE), 3, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian Inventory of Industrial Chemicals					
CAS: 64-17-5 Ethanol / Alcohol 99,5% v/v (absolute					
· Standard for the Uniform Scheduling of Medicines and Poisons					
CAS: 64-17-5 Ethanol / Alcohol 99,5% v/v (absolute	Not scheduled				
CAS: 483-18-1 emetine	S4				
· Australia: Priority Existing Chemicals					
None of the ingredients is listed.					

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50000 t
- · National regulations:
- Other regulations, limitations and prohibitive regulations

Therapeutic goods are listed on the Australian Register of Therapeutic Goods(ARTG)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H319 Causes serious eye irritation.

- · Department issuing SDS: Product Safety Department
- Contact:
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

Fagron
personalizing
medicine

(Contd. on page 9)

(Contd. of page 8)

Safety Data Sheet according to WHS Regulations

Printing date 02.02.2024 Revision: 02.02.2024 Version number 1.1

Trade name: Ipecacuanha fluid extract

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 3: Acute toxicity – Category 4

Serious eye damage/irritation - Category 2A: Serious eye damage/eye irritation - Category 2A

* Data compared to the previous version altered.

AUS

