according to WHS Regulations

Printing date 11.05.2023 Revision: 11.05.2023 Version number 1.1

#### 1 Identification

· Product identifier

· Trade name: Collodium 5%

· Article number: 104773

· Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

- · Application of the substance / the mixture Additive for cosmetic or pharmaceutic preparations
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Fagron Services B.V.

Molenwerk 13, UITGEEST, 1911DB

Netherlands

Phone: +31251361400

Supplier Azelis Australia Suite 217

117 Old Pittwater Road

Brookvale NSW 2100 Australia

Phone: +61 0299392188 Fax: +61 0299392799 e-mail: info@azelis.com.au

· Further information obtainable from: info@fagron.com.au

· Emergency telephone number:

In case of emergency, please call your local poisons:

Emergency Australia: 13 11 26

Emergency NZ: 0800 764 766 (0800 POISON)

1800 127 406 (24 h, Australia) | +64 4 917 9888 (24 h, Worldwide) CareChem 24x7 : EUROPE: +44 1235 239670 | USA: +1 202 464 2554 | CANADA - +1 800 579 7421 (Toll Free)| ASIA - +65 3158 1074 | MOROCCO - +44 1235 239671 | REST OF THE WORLD - +44 1865 407333 (English only )

# 2 Hazard(s) Identification

· Classification of the substance or mixture

Flam. Lig. 1 H224 Extremely flammable liquid and vapour.

Acute Tox. 4 H302 Harmful if swallowed.

Eye Irritation 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

(Contd. on page 2)

AUS



Printing date 11.05.2023 Revision: 11.05.2023

Version number 1.1

Trade name: Collodium 5%

Hazard pictograms

(Contd. of page 1)





- · Signal word Danger
- · Hazard-determining components of labelling:

diethyl ether

· Hazard statements

Extremely flammable liquid and vapour.

Harmful if swallowed.

Causes serious eye irritation.

May cause drowsiness or dizziness.

**Precautionary statements** 

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting equipment.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

# 3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:			
CAS: 60-29-7	1	50–≤100%	
	Flam. Liq. 1, H224; Acute Tox. 4, H302; STOT SE 3, H336		
CAS: 64-17-5	ethanol	25–≤50%	
	Flam. Liq. 2, H225; Eye Irritation 2A, H319		

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### 4 First Aid Measures

- Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)



according to WHS Regulations

Printing date 11.05.2023 Revision: 11.05.2023 Version number 1.1

Trade name: Collodium 5%

(Contd. of page 2)

· After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Seek immediate medical advice.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed

Dizziness

Nausea

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **5 Fire Fighting Measures**

- Extinguishing media
- · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

Alcohol resistant foam

Carbon dioxide

Fire-extinguishing powder

Water spray

Water haze

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide (CO)

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### **6 Accidental Release Measures**

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources.

Use respiratory protective device against the effects of fumes/dust/aerosol.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Dispose of the material collected according to regulations.

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

AUS

(Contd. on page 4)



# Safety Data Sheet according to WHS Regulations

Printing date 11.05.2023 Revision: 11.05.2023 Version number 1.1

Trade name: Collodium 5%

(Contd. of page 3)

## 7 Handling and Storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Keep away from heat and direct sunlight.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store receptacle in a well ventilated area.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

#### 8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- Ingredients with limit values that require monitoring at the workplace:

CAS: 60-29-7 diethyl ether

WES | Short-term value: 1520 mg/m³, 500 ppm

Long-term value: 1210 mg/m<sup>3</sup>, 400 ppm

CAS: 64-17-5 ethanol

WES Long-term value: 1880 mg/m<sup>3</sup>, 1000 ppm

- Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

Suitable respiratory protective device recommended.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



(Contd. on page 5)



Printing date 11.05.2023 Revision: 11.05.2023 Version number 1.1

Trade name: Collodium 5%

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

## 9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid
Colour: Yellowish
Odour: Ether-like
Odour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

· Decomposition temperature:

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 35°C

· Flash point: -40°C

· Flammability (solid, gas): Flammable.

• Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product is not explosive. However, formation of

Not determined.

explosive air/vapour mixtures are possible.

**Explosion limits:** 

**Lower:** 1.7 Vol % **Upper:** 36 Vol %

· Vapour pressure: Not determined.

Density at 20°C: 0.765–0.775 g/cm³
 Relative density Not determined.

· Vapour density Not determined.

• Evaporation rate Not determined.

**EFAGRON** personalizing

AUS

(Contd. on page 6)

according to WHS Regulations

Printing date 11.05.2023 Revision: 11.05.2023 Version number 1.1

Trade name: Collodium 5%

	(Contd. of page
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Organic solvents:	>90.0 %
VOC (EC)	>90.00 %
Other information	No further relevant information available.

## 10 Stability and Reactivity

- · Reactivity No further relevant information available.
- Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions

Reacts with acids, alkalis and oxidising agents.

Flammable.

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

## 11 Toxicological Information

- · Information on toxicological effects
- Acute toxicity

· LD/LC50	- LD/LC50 values relevant for classification:				
ATE (Acu	ATE (Acute Toxicity Estimates)				
Oral	LD50	<2025 mg/kg (rat)			
CAS: 60-2	CAS: 60-29-7 diethyl ether				
Oral	LD50	1215 mg/kg (rat)			
Inhalative	LC50/4 h	73000 mg/l (rat)			
CAS: 64-1	CAS: 64-17-5 ethanol				
Oral	LD50	7060 mg/kg (rat)			
Inhalative	LC50/4 h	20000 mg/l (rat)			
D	Dulmanna inditant affact.				

- · Primary irritant effect:
- Serious eye damage/irritation Irritating effect.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful Irritant

- ALIS -

(Contd. on page 7)



# Safety Data Sheet according to WHS Regulations

Printing date 11.05.2023 Revision: 11.05.2023 Version number 1.1

Trade name: Collodium 5%

(Contd. of page 6)

## 12 Ecological Information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Danger to drinking water if even extremely small quantities leak into the ground.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

## 14 Transport information

· UN-Number · ADG, IMDG, IATA	UN1993
· UN proper shipping name	
· ADG, IMDG	FLAMMABLE LIQUID, N.O.S. (DIETHYL ETHER (ETHYL ETHER), ETHANOL (ETHYL ALCOHOL))
·IATA	Flammable liquid, n.o.s. (DIETHYL ETHER (ETHYL ETHER), ETHANOL)
Transport hazard alass(sa)	

- Transport hazard class(es)
- · ADG, IMDG, IATA



ClassLabel3 Flammable liquids.3

· Packing group

ADG, IMDG, IATA

(Contd. on page 8)



according to WHS Regulations

Printing date 11.05.2023 Revision: 11.05.2023 Version number 1.1

Trade name: Collodium 5%

	(Contd. of page
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EmS Number: Stowage Category	Warning: Flammable liquids. 33 F-E, <u>S-E</u> E
Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADG Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code	0 Code: E3 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml 1 D/E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	0 Code: E3 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 300 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (DIETHYL ETHER (ETHYL ETHER), ETHANO (ETHYL ALCOHOL)), 3, I

# 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian Inventory of Industrial Chemicals				
All ingredients are listed.				
· Standard for the Uniform Scheduling of Medicines and Poisons				
CAS: 60-29-7	diethyl ether	S2, S4, S5, S6		
CAS: 64-17-5	ethanol	Not scheduled		
· Australia: Pri	Australia: Priority Existing Chemicals			
None of the ingredients is listed.				

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5a FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 10 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50 t
- · National regulations:
- · Other regulations, limitations and prohibitive regulations
  Therapeutic goods are listed on the Australian Register of Therapeutic Goods(ARTG)





# Safety Data Sheet according to WHS Regulations

Printing date 11.05.2023 Revision: 11.05.2023 Version number 1.1

Trade name: Collodium 5%

(Contd. of page 8)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H224 Extremely flammable liquid and vapour.

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

#### · Department issuing SDS: Product Safety Department

· Contact:

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement

Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 1: Flammable liquids – Category 1 Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 4: Acute toxicity - Category 4 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

\* Data compared to the previous version altered.

AUS

