acc. to OSHA HCS

1 Identification

· Product identifier

· Trade name: Dilucap Antioxi

· Article number: 106386

- · Application of the substance / the mixture Pharma excipient
- · Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Fagron Inc

2400 Pilot Knob Road St. Paul, MN 55120 www.fagron.us QA@fagron.us

· Information department:

Tel.: 800-423-6967 Fax: 800-339-1596

· Emergency telephone number:

Emergency Telephone: US: 1-800-535-5053

International: 1-352-323-3500

2 Hazard(s) identification

· Classification of the substance or mixture The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0Fire = 0

· Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable.

· **vPvB**: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 2)



acc. to OSHA HCS

Trade name: Dilucap Antioxi

		(Contd. of page 1)
· Dangerous comp	onents:	
CAS: 9004-34-6	Microcrystalline Cellulose 102	50–≤100%
CAS: 9005-25-8	Starch Amylum Potato starch Solani amylum Mazize starch Maydis amylum Rice starch Oryzae amylum Wheat starch Tritici amylum	25–≤50%
CAS: 112926-00-8	Silicon dioxide (amorphous silica, precipitated silica) Tixosil	0.1–≤1%

4 First-aid measures

- · Description of first aid measures
- General information:

In case of irregular breathing or respiratory arrest provide artificial respiration.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Seek immediate medical advice.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

Foam

Carbon dioxide

Water

· Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Avoid formation of dust.

Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)



acc. to OSHA HCS

Trade name: Dilucap Antioxi

(Contd. of page 2)

- · Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose of the collected material according to regulations.

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:		
CAS: 112926-00-8	Silicon dioxide (amorphous silica, precipitated silica) Tixosil	18 mg/m ³
· PAC-2:		
CAS: 112926-00-8	Silicon dioxide (amorphous silica, precipitated silica) Tixosil	200 mg/m ³
· PAC-3:		
CAS: 112926-00-8	Silicon dioxide (amorphous silica, precipitated silica) Tixosil	1,200 mg/m ³

7 Handling and storage

- · Handling:
- · Precautions for safe handling Prevent formation of dust.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

Components v	with limit value	s that require	monitoring at	t the workplace:
--------------	------------------	----------------	---------------	------------------

CAS: 9004-34-6 Microcrystalline Cellulose 102

PEL Long-term value: 15* 5** mg/m³
*total dust **respirable fraction

REL Long-term value: 10* 5** mg/m³
*total dust **respirable fraction

(Contd. on page 4)

USA



acc. to OSHA HCS

Trade name: Dilucap Antioxi

	(Contd. of page 3)
TLV	Long-term value: 10 mg/m ³
CAS	: 9005-25-8 Starch Amylum Potato starch Solani amylum Mazize starch Maydis amylum Rice starch Oryzae amylum Wheat starch Tritici amylum
PEL	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction
REL	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction
TLV	Long-term value: 10 mg/m³ A4
CAS	: 112926-00-8 Silicon dioxide (amorphous silica, precipitated silica) Tixosil
PEL	20mppcf or 80mg/m3 /%SiO2
REL	Long-term value: 6 mg/m³ See Pocket Guide App. C
TLV	TLV withdrawn

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Breathing equipment: Suitable respiratory protective device recommended.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

(Contd. on page 5)





Safety Data Sheet acc. to OSHA HCS

Trade name: Dilucap Antioxi

· Body protection: Protective work clothing

(Contd. of page 4)

9 Physical and chemical properties

9 Physical and chemical p	<u> </u>
 Information on basic physical and General Information Appearance: 	chemical properties
Form:	Powder
Color:	White
· Odor: · Odor threshold:	Characteristic Not determined.
· pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	340°C (644°F)
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not applicable.
· Density:	Not determined.
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.
 Solubility in / Miscibility with Water: 	Insoluble.
· Partition coefficient (n-octanol/wa	ter): Not determined.
· Viscosity:	Niet en Perdit
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Solvent content: VOC content:	0.00 %
Solids content:	100.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

(Contd. on page 6)





acc. to OSHA HCS

Trade name: Dilucap Antioxi

(Contd. of page 5)

- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:

LD/LC50 values that are relevant for classification:

CAS: 112926-00-8 Silicon dioxide (amorphous silica, precipitated silica)
Tixosil

Oral LD50 >5000 mg/kg (rat)
Dermal LD50 >5000 mg/kg (rabbit)

Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 128-37-0 Butylated hydroxytoluene

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.

(Contd. on page 7)





acc. to OSHA HCS

Trade name: Dilucap Antioxi

(Contd. of page 6)

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number · DOT, IMDG, IATA	not regulated
· UN proper shipping name · DOT, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	not regulated
· Packing group · DOT, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Anne MARPOL73/78 and the IBC Code	ex II of Not applicable.
UN "Model Regulation":	not regulated

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

· Sara

None of the ingre	edients is listed.	
Section 313 (Sp	ecific toxic chemical listings):	
None of the ingre	edients is listed.	
TSCA (Toxic Su	bstances Control Act):	
CAS: 9004-34-6	Microcrystalline Cellulose 102	ACTIVE
CAS: 9005-25-8	Amylum Potato starch Solani amylum Mazize starch Maydis amylum Rice starch Oryzae amylum Wheat starch Tritici amylum	ACTIVE
CAS: 7695-91-2	Vitamin E Acetate	ACTIVE
CAS: 137-66-6	Ascorbyl palmitate Ascorbylis palmitas	ACTIVE
CAS: 128-37-0	Butylated hydroxytoluene	ACTIVE



- USA -

acc. to OSHA HCS

Trade name: Dilucap Antioxi

(Contd. of page 7) · Hazardous Air Pollutants None of the ingredients is listed. · Proposition 65 Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: None of the ingredients is listed. · Carcinogenic categories EPA (Environmental Protection Agency) None of the ingredients is listed. · TLV (Threshold Limit Value) CAS: 9005-25-8 | Starch A4 **Amylum** Potato starch Solani amylum Mazize starch Maydis amylum Rice starch Oryzae amylum Wheat starch Tritici amylum CAS: 128-37-0 Butylated hydroxytoluene **A4** · NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Department issuing SDS:

Fagron US

Quality Assurance

- · Contact: QA@fagron.us
- Date of preparation / last revision 06/15/2023

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic



(Contd. on page 9)

Safety Data Sheet acc. to OSHA HCS

Page 9/9 Printing date 06/15/2023 Reviewed on 06/15/2023

Trade name: Dilucap Antioxi

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit

(Contd. of page 8)

USA

