acc. to OSHA HCS

1 Identification

- · Product identifier
- · Trade name: Methylrosanilinii chloridi solutio 1%
- · Article number: 610777
- Application of the substance / the mixture Laboratory chemicals Pharmaceutical intermediate
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Fagron Inc 2400 Pilot Knob Road St. Paul, MN 55120 www.fagron.us QA@fagron.us
- Information department: Tel.: 800-423-6967 Fax: 800-339-1596
- Emergency telephone number: Emergency Telephone: US: 1-800-535-5053 International: 1-352-323-3500

2 Hazard(s) identification

· Classification of the substance or mixture

Flammable Liquids 2 H225 Highly flammable liquid and vapor.

Eye Irritation 2A H319 Causes serious eye irritation.

Carcinogenicity 1A H350 May cause cancer.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Danger

- Hazard-determining components of labeling: Ethanol / Alcohol 99,5% v/v (absolute Methylrosanilinii chloridum
- Hazard statements Highly flammable liquid and vapor. Causes serious eye irritation. May cause cancer.
- Precautionary statements
 Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 Keep away from heat/sparks/open flames/hot surfaces. No smoking.



acc. to OSHA HCS

Trade name: Methylrosanilinii chloridi solutio 1%

(Contd. of page 1) Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. In case of fire: Use CO2, powder or water spray to extinguish. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: · NFPA ratings (scale 0 - 4) Health = 2Fire = 3Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH *2 Health = *2 FIRE 3 Fire = 3 Reactivity = 0 REACTIVITY 0 Other hazards Results of PBT and vPvB assessment · PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 64-17-5	Ethanol / Alcohol 99,5% v/v (absolute	10–≤25%
CAS: 548-62-9	Methylrosanilinii chloridum	1%

4 First-aid measures

Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3)



acc. to OSHA HCS

Page 3/10 Printing date 04/11/2024 Reviewed on 04/11/2024

Trade name: Methylrosanilinii chloridi solutio 1%

- · After swallowing: Seek immediate medical advice.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- · Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Keep away from ignition sources Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the collected material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 13 for disposal information. Protective Action Criteria for Chemicals PAC-1:
CAS: 64-17-5 Ethanol / Alcohol 99,5% v/v (absolute 1,800 ppm
· PAC-2:
CAS: 64-17-5 Ethanol / Alcohol 99,5% v/v (absolute 3300* ppm
(Contd. on page 4)





(Contd. of page 2)

acc. to OSHA HCS

Printing date 04/11/2024 Reviewed on 04/11/2024

Trade name: Methylrosanilinii chloridi solutio 1%

· PAC-3:

CAS: 64-17-5 Ethanol / Alcohol 99,5% v/v (absolute

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

CAS: 64-17-5 Ethanol / Alcohol 99,5% v/v (absolute

- PEL Long-term value: 1900 mg/m³, 1000 ppm
- REL Long-term value: 1900 mg/m³, 1000 ppm
- TLV Short-term value: 1000 ppm A3

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Do not inhale gases / fumes / aerosols.

(Contd. on page 5)



(Contd. of page 3)

15000* ppm

acc. to OSHA HCS

(Contd. of page 4)

Trade name: Methylrosanilinii chloridi solutio 1%

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Filter P2

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

<u> </u>		
 Information on basic physical and General Information 	chemical properties	
· Appearance:		
Form:	Liquid	
Color:	Violet	
· Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. 78°C (172.4°F)	
· Flash point:	13°C (55.4°F)	
· Flammability (solid, gaseous):	Flammable. Highly flammable.	
		(Contd. on page 6)



acc. to OSHA HCS

Trade name: Methylrosanilinii chloridi solutio 1%

	(Contd. of page state)
· Auto igniting:	425°C (797°F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
• Danger of explosion: Product is not explosive. However, formation of ex air/vapor mixtures are possible.	
 Explosion limits: Lower: Upper: 	3.5 Vol % 15 Vol %
 Vapor pressure at 20°C (68°F): Vapor pressure at 50°C (122°F): 	59 hPa (44.3 mm Hg) 280 hPa (210 mm Hg)
[·] Density at 20°C (68°F):	0.9704 g/cm³ (8.09799 lbs/gal)
 Bulk density: Relative density Vapor density Evaporation rate 	961–963 kg/m ³ Not determined. Not determined. Not determined.
 Solubility in / Miscibility with Water: 	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
 Viscosity: Dynamic: Kinematic: 	Not determined. Not determined.
 Solvent content: Organic solvents: Water: VOC content: 	14.4 % 84.6 % 14.40 % 139.7 g/l / 1.17 lb/gal
Solids content:	1.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

USA



acc. to OSHA HCS

Trade name: Methylrosanilinii chloridi solutio 1%

(Contd. of page 6)

11 Toxicological information Information on toxicological effects · Acute toxicity: · LD/LC50 values that are relevant for classification: ATE (Acute Toxicity Estimate) Oral LD50 50000 mg/kg CAS: 64-17-5 Ethanol / Alcohol 99,5% v/v (absolute LD50 Oral 7060 mg/kg (rat) Inhalative LC50/4 h 51 mg/l (rat) · Primary irritant effect: · on the skin: No irritant effect. · on the eve: Irritating effect. · Sensitization: No sensitizing effects known. · Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Irritant Carcinogenic categories · IARC (International Agency for Research on Cancer) CAS: 64-17-5 Ethanol / Alcohol 99,5% v/v (absolute 1 CAS: 548-62-9 Methylrosanilinii chloridum 2B NTP (National Toxicology Program) None of the ingredients is listed. · OSHA-Ca (Occupational Safety & Health Administration) None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · **Bioaccumulative potential** No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:
- Harmful to aquatic organisms

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.

(Contd. on page 8)



acc. to OSHA HCS

Trade name: Methylrosanilinii chloridi solutio 1%

· Other adverse effects No further relevant information available.

(Contd. of page 7)

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, IMDG, IATA	UN1993		
UN proper shipping name			
DOT	Flammable liquids, n.o.s. (Ethanol)		
IMDG	FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL))		
ΙΑΤΑ	Flammable liquid, n.o.s. (ETHANOL)		
Transport hazard class(es)			
DOT			
RUMMARE LOOID			
Class	3 Flammable liquids		
Label	3		
IMDG, IATA			
Class	3 Flammable liquids		
Label	3		
Packing group			
DOT, IMDG, IATA	II		
Environmental hazards:	Not applicable.		
Special precautions for user	Warning: Flammable liquids		
Hazard identification number (Ken			
EMS Number:	F-E, <u>S-E</u> B		
Stowage Category	D		





Safety Data Sheet acc. to OSHA HCS

personalizing medicine

Printing date 04/11/2024 Reviewed on 04/11/2024

Trade name: Methylrosanilinii chloridi solutio 1%

	(Contd. of page
 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
·IMDG	
 Limited quantities (LQ) 	1L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL)), 3, II

15 Regulatory information

Section 355 (ext	remely hazardous substances):	
None of the ingre	dients is listed.	
Section 313 (Sp	ecific toxic chemical listings):	
None of the ingre	dients is listed.	
TSCA (Toxic Su	bstances Control Act):	
CAS: 7732-18-5	Water, distilled, conductivity or of similar purity	ACTIVE
CAS: 64-17-5	Ethanol / Alcohol 99,5% v/v (absolute	ACTIVE
Hazardous Air P	Pollutants	
None of the ingre	dients is listed.	
Proposition 65		
Chemicals know	vn to cause cancer:	
None of the ingre	dients is listed.	
Chemicals know	vn to cause reproductive toxicity for females:	
None of the ingre	dients is listed.	
Chemicals know	vn to cause reproductive toxicity for males:	
None of the ingre	dients is listed.	
Chemicals know	vn to cause developmental toxicity:	
CAS: 64-17-5 Et	hanol / Alcohol 99,5% v/v (absolute	
Carcinogenic ca	Itegories	
	ental Protection Agency)	
None of the ingre	edients is listed.	
TLV (Threshold	Limit Value)	
•	hanol / Alcohol 99,5% v/v (absolute	A
		(Contd. on page 1

acc. to OSHA HCS

Trade name: Methylrosanilinii chloridi solutio 1%

(Contd. of page 9)

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National regulations:

 Information about limitation of use: Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Fagron US **Quality Assurance** · Contact: QA@fagron.us · Date of preparation / last revision 04/11/2024 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 2: Flammable liquids – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Carcinogenicity 1A: Carcinogenicity – Category 1A * * Data compared to the previous version altered. LISA

