according to WHS Regulations

Page 1/8 Printing date 25.04.2022 Revision: 25.04.2022 Version number 1.0

### **1 Identification**

- · Product identifier
- · Trade name: Cajeput oil
- · Article number: 605431
- · CAS Number:
- 85480-37-1
- · EC number:
- 287-316-4
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Flavouring agents
- · Details of the supplier of the safety data sheet

• **Manufacturer/Supplier:** Fagron Services B.V. Molenwerk 13, UITGEEST, 1911DB Netherlands Phone: +31251361400

Supplier Azelis Australia Suite 217 117 Old Pittwater Road Brookvale NSW 2100 Australia Phone: +61 0299392188 Fax: +61 0299392799 e-mail: info@azelis.com.au

· Further information obtainable from: info@fagron.com.au

• Emergency telephone number: In case of emergency, please call your local poisons: Emergency Australia: 13 11 26 Emergency NZ: 0800 764 766 (0800 POISON)

1800 127 406 (24 h, Australia) | +64 4 917 9888 (24 h, Worldwide) CareChem 24x7 : EUROPE: +44 1235 239670 | USA: +1 202 464 2554 | CANADA - +1 800 579 7421 (Toll Free)| ASIA - +65 3158 1074 | MOROCCO - +44 1235 239671 | REST OF THE WORLD - +44 1865 407333 (English only )

## 2 Hazard(s) Identification

#### · Classification of the substance or mixture

- Flam. Liq. 3 H226 Flammable liquid and vapour.
- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Irrit. 2A H319 Causes serious eye irritation.
- Skin Sens. 1 H317 May cause an allergic skin reaction.
- Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

(Contd. on page 2)

AUS



according to WHS Regulations

Page 2/8 Printing date 25.04.2022 Revision: 25.04.2022 Version number 1.0

#### Trade name: Cajeput oil

(Contd. of page 1)

- · Label elements GHS label elements The substance is classified and labelled according to the Globally Harmonised System (GHS). Hazard pictograms GHS02 GHS07 GHS08 · Signal word Danger Hazard statements Flammable liquid and vapour. Causes skin irritation. Causes serious eve irritation. May cause an allergic skin reaction. May be fatal if swallowed and enters airways. Precautionary statements IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Specific treatment (see on this label). Do NOT induce vomiting. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Take off contaminated clothing and wash it before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Other hazards Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **3 Composition and Information on Ingredients** · Chemical characterisation: Substances

  - · CAS No. Description
  - 85480-37-1 Cajeput oil Identification number(s)
  - EC number: 287-316-4

## **4 First Aid Measures**

#### Description of first aid measures

- · After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. (Contd. on page 3)



according to WHS Regulations

Printing date 25.04.2022 Revision: 25.04.2022 Version number 1.0

#### Trade name: Cajeput oil

(Contd. of page 2)

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **5 Fire Fighting Measures**

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: No special measures required.

## 6 Accidental Release Measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## 7 Handling and Storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke.
- Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls and personal protection

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4) - AUS



according to WHS Regulations

Page 4/8 Printing date 25.04.2022 Revision: 25.04.2022 Version number 1.0

Trade name: Cajeput oil

(Contd. of page 3)

- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

- Avoid contact with the eyes and skin.
- Respiratory protection: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

## **9 Physical and Chemical Properties**

Information on basic physical and chemical properties
 General Information
 Appearance:

 Form:
 Fluid
 Colour:
 Yellowish

 Odour:
 Odour:
 Characteristic
 Odour threshold:
 Not determined.



- AUS

according to WHS Regulations

Page 5/8 Printing date 25.04.2022 Revision: 25.04.2022 Version number 1.0

#### Trade name: Cajeput oil

	(Contd. of page 4
<ul> <li>Change in condition Melting point/freezing point: Initial boiling point and boiling range</li> </ul>	Undetermined.
· Flash point:	50°C
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Not determined.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapour pressure:	Not determined.
<ul> <li>Density at 20°C:</li> <li>Relative density</li> <li>Vapour density</li> <li>Evaporation rate</li> </ul>	0.911 g/cm <sup>3</sup> Not determined. Not determined. Not determined.
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
· Other information	No further relevant information available.

## **10 Stability and Reactivity**

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological Information**

- · Information on toxicological effects
- · Acute toxicity
- Primary irritant effect:
- · Skin corrosion/irritation Irritant to skin and mucous membranes.

(Contd. on page 6)



according to WHS Regulations

Page 6/8 Printing date 25.04.2022 Revision: 25.04.2022 Version number 1.0

> personalizing medicine

#### Trade name: Cajeput oil

(Contd. of page 5)

· Serious eye damage/irritation Irritating effect.

• Respiratory or skin sensitisation Sensitisation possible through skin contact.

## **12 Ecological Information**

#### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

### 14 Transport information · UN-Number · ADG, IMDG, IATA UN1993 · UN proper shipping name 1993 FLAMMABLE LIQUID, N.O.S. (Cajeput oil), · ADG ENVIRONMENTALLY HAZARDOUS · IMDG FLAMMABLE LIQUID, N.O.S. (Cajeput oil) · IATA Flammable liquid, n.o.s. (Cajeput oil) · Transport hazard class(es) · ADG · Class 3 Flammable liquids. (Contd. on page 7) AUS **FC**

according to WHS Regulations

#### Trade name: Cajeput oil

· Label	(Contd. of page
· IMDG, IATA	ى 
Class Label	3 Flammable liquids. 3
· Packing group · ADG, IMDG, IATA	
<ul> <li>Environmental hazards:</li> <li>Special marking (ADG):</li> </ul>	Environmentally hazardous substance, liquid Symbol (fish and tree)
Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):     EMS Number:	30 F-E,S-E
· Stowage Category	A
Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
<ul> <li>ADG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 m
<ul> <li>Transport category</li> <li>Tunnel restriction code</li> </ul>	3 D/E
<ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 m
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S. (CAJEPUT OIL), 3, III, ENVIRONMENTALLY HAZARDOUS

## **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture • Australian Inventory of Industrial Chemicals Substance is listed.

- Standard for the Uniform Scheduling of Medicines and Poisons Substance is not listed.
- · Australia: Priority Existing Chemicals Substance is not listed.
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.

(Contd. on page 8)



according to WHS Regulations

Page 8/8 Printing date 25.04.2022 Revision: 25.04.2022 Version number 1.0

#### Trade name: Cajeput oil

(Contd. of page 7)

- Seveso category E2 Hazardous to the Aquatic Environment P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · National regulations:
- Other regulations, limitations and prohibitive regulations
   Therapeutic goods are listed on the Australian Register of Therapeutic Goods(ARTG)
   Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product Safety Department
- Contact:
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 3: Flammable liquids – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Skin Sens. 1: Skin sensitisation – Category 1 Asp. Tox. 1: Aspiration hazard – Category 1



